

COIL WINDING

FORM 212

LOOP BAR

MODEL No. 15 & 15-S

EASY SETUP

Loop length adjusted to size by direct reading scale on winding bar

COIL REMOVAL

A single lever cam motion draws in one slide block which allows loop to be removed. A spring action returns the block to the proper winding position for the next coil and thereby prevents any chance of winding a short loop. This offers the fastest method of removing the loops and resetting for the next winding

WINDING BAR

1" W x 2" H Steel Bar

LEAD HOLDER

The holder permits leads to be started on either side.

BASE

Cast iron for mounting on any ACE coil winding machine face plate.

SLIDE BLOCKS


The slide blocks have three positions tapped 5/8-11 to insert winding pins, making it possible to wind long, medium or short loops with minimum adjustment.

MODEL 15

The 9" long slide blocks allow a 36" loop to be wound using only a 30" long winding bar.

MODEL 15-S

The 9" long slide blocks allow a 56" loop to be wound using only a 50" long winding bar.



SPECIFICATIONS

MODEL 15

Min. length of loop:	6"
Max. length of loop:	36"
Width of loop:	3/8"
Min. width of Jaw Opening:	1/8"
Max width of Jaw Opening:	5/8"
Diameter of Jaw:	2 1/4"

MODEL 15-S

Min. length of loop:	6"
Max. length of loop:	56"
Width of loop:	3/8"
Min. width of Jaw Opening:	1/8"
Max width of Jaw Opening:	5/8"
Diameter of Jaw:	2 1/4"

	Dimensions	Net Wt.	Gross Wt.
15	32"L x 8"W x 8"H	50 Lbs	64 Lbs.
15-S	52"L x 8"W x 8"H	74 Lbs	85 Lbs



Complete Winding Systems

ACE manufactures a complete line of Coil Winders, Accessory Equipment, Burnout and Curing Ovens.

ace Since 1919

ACE Equipment Company

4725 Manufacturing Road

Cleveland, Ohio 44135

800-255-1241*PH216-267-6366*FAX216-267-4361

email: info@armaturecoil.com

www.armaturecoil.com